# AS9003B QUALITY MANUAloridanide origination Date: (month/year) Document

Document Identifier:	AS9003B Quality Manual
Date:	Latest Revision Date
Document Status:	Draft, Redline, Released, Obsolete
Document Link:	Location on Server (if used)

Form Rev: Orig

Abstract:
This document describes the quality management system processes for aerospace standard SAE AS9003B. SAE AS9003B.

Your Logo	Vour Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

# **REVISION LOG**

Issue	Date	Comment	Author	\Q\*
0-0	12-21	Update to comply with rev B		1100
			61.	77
			MOL	
			60,7	

**DOCUMENT CHANGE RECORD** 

Issue	Item	Reason for Change
		idil
		11/19
		Ali

Copyright © JnF Specialties, LLC. All rights reserved worldwide. www.com/copyright.htm

PROPRIETARY INFORMATION

This document expires 30 days after printing unless marked "Released".

Date Printed:

Form Rev: Orig

# TABLE OF CONTENTS

Section 1:	Welcome to (Your Company)	4
Section 2:	Company Vision and Governing Policies	
Section 3:	Scope, Exclusions and Definitions  pe usions nitions and Conventions Quality Management System eral Requirements umentation Requirements	6
3.1 Scor	DE	6
3.2 Excl	usions	6
3.3 Defii	nitions and Conventions	6
Section 4:	Quality Management System	6
4.1 Gen	eral Requirements	6
4.2 Doc	umentation Requirements Quality Manual. Control of Documents Control of Records Management Responsibility agement Representative Resource Management ann Resources k Environment. ective Maintenance Product Realization aning of Product Realization Configuration Management tomer-Related Processes Determination of Requirements Review of Requirements.	7
4.2.1	Quality Manual	7
4.2.2	Control of Documents	7
4.2.3	Control of Records	8
Section 5:	Management Responsibility	8
5.1 Man	agement Representative	8
Section 6:	Resource Management	9
6.1 Hum	nan Resources	9
6.2 Wor	k Environment	10
6.3 Corr	ective Maintenance	10
Section 7:	Product Realization	10
7.1 Plan	uning of Product Realization	10
7.1.1	Configuration Management	10
7.2 Cust	tomer-Related Processes	11
7.2.1	Determination of Requirements.	11
7.2.2	Review of Requirements.	11
7.3 Desi	ign and Development	11
7.4 Purc	purchasing Process Purchasing Information  Verification of Purchased Product	11
7.4.1	Purchasing Process	11
7.4.2	Purchasing Information	11
7.4.3	Verification of Purchased Product	11
7.5 Proc	duction	12
7.5.1	Purchasing Information.  Verification of Purchased Product.  Juction	12
7.5.1.1	Production Process Verification	12
7.5.1.2	Control of Production Process Changes	13
7.5.2	Identification and Traceability	13
7.5.3	Preservation of Product	13
7.6 Conf	trol of Monitoring and Measuins Equipment	13
section 8.	ivieasurement, Anarysis, and improvement	13
8.1 Mon	itoring and Measurement of Product	13
8.1.2 In	coming Inspection (Receiving)	15
	-Process Inspection	
8.1.4 Fi	inal Inspection	15
8.2 Conf	trol of No conforming Product	15
8.3 Corr	ective Added	15
8.4 Inter	rnal Audit	
Appendix A:	Company Processes and Applicable AS9003 Clauses	16
Appendix B:	Company Processes and Applicable Documents	17
	Outsourced Processes	
	Quality Objectives	
Annendix F.	Identification of Key Product Realization Processes	20
		20

Your Logo	Vous Company Name	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

#### Section 1: **Welcome to (Your Company)**

The Company is a developer and manufacturer of INSERT TEXT HERE

The Company currently has INSERT TEXT HERE

The Company has always applied high quality standards as guidelines for its processes and perations but has revised its systems to fully comply with *ISO 9001* and *AS9003*.

The Company is dedicated to the principle of maintaining the highest levels of communicating with people inside and outside of its business operation.

We invite you to see our quality system.

The Company is dedicated to the principle of maintaining the highest levels of gradity and integrity in communicating with people inside and outside of its business operation.

We invite you to see our quality system in action.
To arrange a visit, contact us at:

Your Company Name
Address
Phone
Email
Website: www.yourcompany.com

Your Photo (for embellishment if desired)

Your Logo	Vous Company Name	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

#### **Company Vision and Governing Policies** Section 2:


#### COMPANY VISION

To continually improve our processes, products and services to meet our Customers' requirements, allowing us to prosper as a business and to produce a reasonable return on capital investment.

# **QUALITY POLICY** The Company is committed to

ENVIRONMENTAL POLICE

prevent production and discount cts or waste material and the control of t To prevent production and distribution of products or waste materials that



Copyright © JnF Specialties, LLC. All rights reserved worldwide. www.quality-control-plan.com/copyright.htm

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".  Date Printed:	Form Rev: Orig

Your Logo	Vour Company Name	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

#### Scope, Exclusions and Definitions Section 3:

#### 3.1 Scope

The Company's quality management system applies to all employees within all functional areas Company's business operation. The Company's scope of business is defined as follows:

Manufacturer of INSERT TEXT HERE

NAICS code: (Your code)

SIC code: (Your code)

The Company cites no exclusions to ISO 9001 or AS9003 standards.

The Company cites no exclusions to **ISO 9001** or **AS9003** standards.

NOTE: The Company has fully implemented ISO 9001 and AS9003 with the intent of certification to both standards. This manual is intended for verification of compliance to ISO 9000 and AS9003.

#### 3.3 **Definitions and Conventions**

Unless otherwise noted, the Company applies the definitions of key terms according to ISO 9001, AS9003 and QMS-16 Definitions and Abbreviations Procedure.

Subordinate or external documentation is referenced in **Bolditalics**.

#### Section 4: Quality Management

#### 4.1 General Requirements

The Company's quality system is fully documented and implemented and is maintained as needed to meet the requirements of our Company vision and governing policies.

The Company has adopted a proces oriented method of management. This approach emphasizes the importance of:

a) b) c)

For each process (dentified in use by the Company, the sequence and interaction of processes has been determined and the process controlled by way of

following are the processes in use by the Company.

- Calibration (7.6)
- Configuration management (7.1.1)
- Contract review (7.2)
- Control of nonconforming product (8.2)

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".	Form Rev: Orig
-------------------------	--	----------------

Your Logo	Vour Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

- Control of documents (4.2.2)
- Control of production (7.5.1)
- Control of records (4.2.3)
- Corrective actions (8.3)
- Internal audit (8.4)
- Purchasing (7.4)
- Receiving (7.4.3)
- Responsibility and authority (5.1)
- Shipping (7.5.3)
- Training (6.1)

Morldwide Every process has at least one QMS Procedure that defines it in greater detail and many occedures include a process map. These process maps define

The relationship between the listed processes and their applicable AS9003 clauses is shown in Appendix A and applicable Company documentation is shown in Appendix B.

Outsourced processes and their controls are defined in Appendix C.

#### 4.2 **Documentation Requirements**

The Company maintains all required documentation to effectively sustain its quality management system. All Managers are responsible for

The quality system documentation is comprised of a hierarchy of documents that flow from this Quality Manual. All documents support and enhance the primary manuates of the Corporate Vision and Governing Policies as defined in Section 2.

# 4.2.1 Quality Manual

The primary purpose of the Quality Manual and QMS Procedures is to describe and document the Quality Management System in place at the Company and to

Copies of the manual are committed according to the QMS-01 Document Control Procedure. Uncontrolled copies may

This Quality Manual has been developed by top management to define the quality system processes and policies in use by the Company. It is meant to be used by employees as the primary source of official Company quality policies. This manual is accessible to Customers, regulatory authorities and third parties that wish to verify the Company's quality management system. Externally distributed copies


Additional procedures and work instructions have been developed to further clarify specific instructions for the execution of these procedures. Where subordinate documents are referenced, they are shown in bold italics.

# **Control of Documents**

Documents are controlled so that the information on them is

Your Logo	Vous Company Name	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

The controls for documents are defined in the QMS-01 Document Control Procedure.



Records are controlled to provide evidence of conformity to requirements. Records that are subject to control are maintained according to the *QMS-03 Records Control Procedure*.

The Company has developed a secure web pased document portal that allows authorized users to access documents anywhere in the world via internet as well as throughout the Company facilities via intranet. Only the latest approved versions of documents are available through the internet and intranet portals.

# Section 5: Management Responsibility

# 5.1 Management Representative

The Quality Manager is responsible for The Quality Manager has the responsibility and authority to

In addition, the Quality Manager ensures the promotion of awareness of Customer requirements throughout the organization.

PROPRIETARY INFORMATION


This document expires 30 days after printing unless marked "Released". Form Rev: Orig

**Date Printed:** 

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

The organizational chart below defines the basic management structure of the Company. In all cases, the appropriate person has been granted both the responsibility and authority for their position's duties, which are further defined in the *QMS-05 Responsibilities and Authorities Procedure*.

All employees are empowered to request corrective or preventive action to prevent the occurrence of nonconformities relating to product, process or the Quality Management System. The Quality Manager



# Section 6: Resource Management

# 6.1 Human Resources

The Company's employees are selected, trained and evaluated to ensure that those personnel performing work affecting process or product requirements are

he process is defined in the QMS-06 Training Procedure.

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".  Date Printed:	Form Rev: Orig

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

## 6.2 Work Environment

The Company has determined and provides the basic work environment requirements needed to achieve conformity to product requirements. The work environment is

For more on management's control over the work environment see the QMS-04 Management Process

Procedure.

#### 6.3 Corrective Maintenance

The Company utilizes corrective maintenance and skilled maintenance personnel to extend the ongoing performance of process equipment. No preventive maintenance action is performed unless

The Facilities Manager ensures the ongoing maintenance of the facilities: IT resources are overseen by the IT staff, reporting to the Facilities Manager.

# Section 7: Product Realization

# 7.1 Planning of Product Realization

In planning the processes for product realization, management has ensured that the processes are consistent with the requirements of the other processes within the quality system. Product realization processes include the following procedures:

- Configuration Management
- Document Control
- Management Process
- Production
- Proposal Development and Contract Review
- Records Control

For each process, quality objectives have been established. At times, additional quality objectives and measurements may be set for a given product; in such cases,

# 7.40 Configuration Management

The configuration of products is controlled through advanced configuration management techniques that have been built upon the requirements of **ISO 10007** and **MIL-STD-973**. Configuration management is conducted according to the **QMS-02 Configuration Management Procedure**.

Inis document expires 30 days after printing unless marked "Released".	PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".	Form Rev: Orig
--	-------------------------	--	----------------

Your Logo	Voya Commony Nome	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

#### 7.2 Customer-Related Processes

# 7.2.1 Determination of Requirements

The Company captures all contractual and special requirements of the Customer as well as any necessary and unstated requirements and applicable statutory or regulatory requirements as part of the Proposal Development and Contract Review process. The process also defines

This process is defined in the QMS-07 Proposal Development and Contract Review Proced

# 7.2.2 Review of Requirements

Once contractual and special requirements are captured they are

The process is defined in the **MS-07 Proposal Development** 

and Contract Review Procedure.

The order of precedence of order-specific documentation is as follows: patess otherwise directed by Customer requirements:

# Design and Development quirement is not applicable.

This requirement is not applicable.

#### **Purchasing** 7.4

Purchasing is treated as a process within the Company's quality system. The Company accepts responsibility for the quality of products that are purchased from Suppliers including Customer designated sources. The Company does not use

The process is fully delided in the QMS-08 Purchasing Procedure.

# 7.4.1 Purchasing Process

The purchasing process ensures the Company

# 7.4.2 Purchasing Information

Purchase orders are used to transmit the Company's requirements to Suppliers.

# አፈ3 Verification of Purchased Product

Incoming materials are inspected to ensure they meet requirements before use and as a means of monitoring ongoing Supplier quality. The process is defined in the QMS-09 Receiving Procedure.

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".  Date Printed:	Form Rev: Orig

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

## 7.5 Production

#### 7.5.1 Control of Production

The Company plans and carries out processes for product realization according to section 7.1 of this manual: In general, this includes assurances that:



In-process inspection is conducted according to work instruction or other controlled document to verify product conformity to requirements on an ongoing basis. The Quality inspector

These activities are fully defined in QMS-10 Procedure.

# 7.5.1.1 Production Process Verification

Production operations are performed according to documentation developed by Responsible Authorities. The work instruction, drawings and other documents define

These activities are fully defined in the QMS-10 Production Procedure.

# First Article Inspection (FAI)

When require by purchase order or Customer specification, a First Article Inspection (FAI) will be performed. The FAI is

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".  Date Printed:	Form Rev: Orig

	ıal
CAGE: Your # Your Company Name	Rev: Orig

# 7.5.1.2 Control of Production Process Changes

Only the Configuration Control Board can approve changes to production processes. The Company will identify and obtain Customer and/or regulatory authority approval for changes when required.

The results of changes to production processes are

These activities are fully defined in the QMS-10 Production Procedure and QMS-02 Configuration Management Procedure.

# 7.5.2 Identification and Traceability

All products are identified throughout their life cycle as defined in the QMS-10 Production Procedure. Other identification and traceability requirements are

# 7.5.3 Preservation of Product

According to contractual directives, instructions are detailed the applicable job documentation for

General rules are defined in the QMS-10 Production

Procedure and QMS-11 Shipping Procedure.

#### Control of Monitoring and Measuring Equipment 7.6

All measuring and test equipment instruments and devices used to determine an item's conformance to specified requirements are

The controls for such equipment and calibration activities are defined in the QMS-15 Calibration Procedure.

#### Measurement, Analysis, and Improvement Section 8:

#### Monitoring and Measurement of Product **8.1**

To ensure the conformance of product to requirements, monitoring and measurement is conducted throughout the product's lifecycle. These checks occur



Your Logo	Y. C. Y.	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig
Inspection methods may include but	t are not limited to:	
		77
	applied, as appropriate and when sp	
final inspection. Sampling plans a	re used when tests are destructive	/e of when
And Frankla MDD arrank arrange and a		
Applicable MRB members can relea	se supplies	
SAA kananatian Bananatian		
8.1.1 Inspection Documentation  The engineering drawing or other	technical documentation and ide	ntified critical items including key
characteristics provide the equirement	ents for all deliverable products. In all	cases, this must include
Required inspections, test steps and	measuring equipment are defined in v	various documents depending on the
nature of the product or order. The		arroad adoutherne appending on the
	sed to record the results of inspendence of inspendence in a form that is suitable to the	
record to use is	and and an a room that to dutable to the	

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".	Form Rev: Orig
-------------------------	--	----------------

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

# 8.1.2 Incoming Inspection (Receiving)

Receiving is treated as a process within the quality system and is defined in the **QMS-09 Receiving Procedure.** 

Incoming materials are inspected to

# 8.1.3 In-Process Inspection

In-process inspections are conducted during production to ensure ongoing quality of work. These may be done

# 8.1.4 Final Inspection

Once all operations are complete, supplies must be submitted to Quality for at hal inspection and to determine

# 8.2 Control of Nonconforming Product

All deliverable supplies that are found to be nonconforming against specified requirements are

See the QMS-14 Control of Nonconforming Product Procedure and QMS-13 Corrective and Preventive Action Procedure.

# 8.3 Corrective Action

The Company has implemented and maintains a robust system for identifying and reporting nonconformities requiring corrective action. These nonconformities can be related to product, processes or other criteria. Such reports resulting

This process is defined in the QMS-13 Corrective and Preventive Action Procedure.

# 8.40 Internal Audit

Internal quality audits are conducted to ensure ongoing compliance with requirements of the Company's policies and procedures. This is accomplished by

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".	Form Rev: Orig
	Date Printed:	

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

The internal audit process is defined in the QMS-12 Internal Auditing Procedure.

# **Appendix A: Company Processes and Applicable AS9003 Clauses**

Process	Applicable AS9003 Clauses  8.3 Corrective Action  8.4 Internal Audit  4.1 QMS General Requirements 4.2 Documentation Requirements 5.1 Management Representative 6.1 Human Resources 6.2 Work Environment 7.1.1 Configuration Management 7.5.1 Control of Production 7.6 Control of Monitoring and Measuring Equipment 8.1 Monitoring and Measurement of Product  7.1 Planning of Product Realization 7.5.1.1 Production Process Verification 7.5.1.2 Control of Production Process Changes
Corrective and Preventive Action	8.3 Corrective Action
Internal Auditing	8.4 Internal Audit
	4.1 QMS General Requirements
	4.2 Documentation Requirements
	5.1 Management Representative
	6.1 Human Resources
Management	6.2 Work Environment
	7.1.1 Configuration Management
	7.5.1 Control of Production
	7.6 Control of Monitoring and Measuring Equipment
	8.1 Monitoring and Measurement of Product
	7.1 Planning of Product Realization
	7.5.1.1 Production Process Verification 7.5.1.2 Control of Production Process Changes 7.5.2 Identification and Traceability
Production	7.5.2 Identification and Traceability
Froduction	7.5.3 Preservation of Product
	8.1 Monitoring and Measurement of Product
	8.2 Control of Nonconforming Product
Proposal Development and Contract Review	7.2 Customer Related Processes
	7.4.1 Purchasing Process
Purchasing	7.4.2 Purchasing Information
	7.4.3 Verification of Purchased Product
	7.5.2 Identification and Traceability
Receiving	7.5.3 Preservation of Product
	8.1 Monitoring and Measurement of Product
	8.2 Control of Nonconforming Product
	7.5.2 Identification and Traceability
Shipping	7.5.3 Preservation of Product
	8.3 Control of Nonconforming Product
opyright © JnF Specialties, LLC. All rights reserved w	orl/lwide. www.quality-control-plan.com/copyright.htm
Copyright © JnF Specialties, LLC. All rights reserved w	

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".  Date Printed:	Form Rev: Orig

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

# **Appendix B: Company Processes and Applicable Documents**

Process	Applicable Company Procedures	Applicable Company Records
Corrective Action	Corrective Action	Applicable Company Records
Internal Auditing	Internal Auditing	- 194
Internal Additing	Quality Manual	10
	Document Control	,0,
	Configuration Management	. 110
	Record Control	
Managament		
Management	Management Process	
	Responsibilities and Authorities	3
	Training Calibration	60,
		25
	Definitions and Abbreviation	reserve
Production	Production	
	Control of Nonconforming Product	
Proposal Development	Proposal Development and Contract Review	
and Contract Review		
Purchasing	Purchasing	
Receiving	Receiving	
	Control of Nonconforming Product	
Shipping	Shipping Control of Nonconforming Product	
	SS'	
Copyright © JnF Specialties, LLC.	iies,	yright.htm

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

# **Appendix C: Outsourced Processes**

The following processes are outsourced and controlled as indicated:



When the Company provides supplies for outside processing, such as acceptance testing, the work is performed under the following controls:





Your Logo	Your Company Name	Quality Manual
CAGE: Your #	Tour Company Name	Rev: Orig

# **Appendix D: Quality Objectives**

Process	Quality Objective	Metric
Corrective Action		Metric Notice No
Internal Auditing		1 1/0/
Management		
Production		
Proposal Development and Contract Review		
Purchasing		
Receiving		
Shipping		

### **COMMENT:**


The quantity of quality objectives listed above should be evaluated and adjusted to meet actual value-added goals of the business operation. The objectives that are listed above are typical for manufacturers but there may be too few or too many for your business.

Delete above COMMENT prior to release of quality manual.

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".	Form Rev: Orig
TROTRIETART IN ORMATION	Date Printed:	Tomi Rev. Ong

Your Logo	Vous Company Nama	Quality Manual
CAGE: Your #	Your Company Name	Rev: Orig

# **Appendix E: Identification of Key Product Realization Processes**




Copyright © JnF Specialties, LLC. All rights reserved worldwide. www.quality-control-plan.com/copyright.htm

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".  Date Printed:	Form Rev: Orig

Your Logo	Your Company Name	Quality Manual
CAGE: Your #		Rev: Orig

# Applicable Company Procedures:



Delete this page prior to belease of quality manual.

(i)

(ii)

(iii)

This document expires 30 days after printing unless marked "Released". PROPRIETARY INFORMATION Form Rev: Orig **Date Printed:**